


0.25" FASTON (x24)



Rear View

CON7

|    |                 |    |              |
|----|-----------------|----|--------------|
| 1  | +5V             | 13 | BUZZER RESET |
| 2  | PS1 GOOD LED    | 14 | GND          |
| 3  | PS2 GOOD LED    | 15 | GND          |
| 4  | N/A             | 16 | GND          |
| 5  | N/A             | 17 | GND          |
| 6  | PS ONE FAIL LED | 18 | GND          |
| 7  | PS ALL GOOD LED | 19 | GND          |
| 8  | TTL SIGNAL      | 20 | GND          |
| 9  | N/A             | 21 | GND          |
| 10 | PS2 PG SIGNAL   | 22 | GND          |
| 11 | N/A             | 23 | GND          |
| 12 | PS1 PG SIGNAL   | 24 | GND          |

CON8




|   |                |
|---|----------------|
| 1 | FAN SIGNAL PS1 |
| 2 | FAN SIGNAL PS2 |
| 3 | N/A            |
| 4 | N/A            |

CON7:

MOLEX 10-88-1241 OR EQU.

CON8:

MOLEX 22-28-4040 OR EQU.



**CWT Channel Well Technology CO., LTD.**

APPROVED  
TUNGPO

CHECKED  
JASPER

DRAWING NO.  
Q-2V-AC06

UNIT  
INCHES(MM)

REV.  
0.1

TITLE  
PS2 SLIM, 1+1 V TYPE, AC I/P, 250W(460W) O/P

DESIGNED  
CHEFON

DRAWING  
JOLN

MODEL NO.  
PRB250(460)QV-J3

TOLERANCES:  
.X=±0.2  
.XX=±0.15

SHEET  
1/1